BULA STATE UNIVERSITY



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

www.tuv.com ID 9108644336

bpsu.cnm.2018@gmail.com

Item No.	Description	Qty	Unit Price
1	SIMULATION LABORATORY	1 LOT	Php 17,300,000.00
•	SIMILATION EADORATOR	1101	1110 17,300,000.00
1	HIGH FIDELITY BIRTHING SIMULATOR	1 unit	
	Birthing Simulator		
	132 38 ¹⁰ 11		
	Wireless maternal manikin and birthing fetus Fetus to support Leopold's maneuvers 2 abdomens (1 for delivery, 1 for prepartum and postpartum)Postpartum uterus Static cervices for vaginal exams		
	Instructor's workstation Maestro operating software Wireless emulated patient monitor 3 patient profiles		
	10 Simulated Clinical Experiences (SCEs)- A normal delivery- An instrumental vaginal delivery		
	 Fetal tachycardia due to maternal pyrexia Breech delivery Fetal central nervous system depression 		
	 by narcotics given to the mother Shoulder dystocia Major post-partum hemorrhage due to 		
	uterine atonyMaternal cardio-respiratory arrestEclampsia		
	- Umbilical cord prolapsed		
	Fully and partially inverted uterus with a Uterine Inversion SCE Uterine inversion		
	Static cervices Abdominal cover for all fours birthing position (required for thisposition)		
	Female Patient Module with non-gravid abdomen and 5 SCEs		
	- Chronic Heart Failure Exacerbation		
	- Acute Respiratory Distress Syndrome		
	- Sepsis with Hypotension		
	- Brain Attack w/ Thrombolytic Therapy		

Our Vision Our Mission

- Motor Vehicle Collision with Hypovolemic Shock

EULA STATE UNIVERSITY



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.con CERTIFIED

	- 2 days trainings for 12 persons		
2	INTRAVENOUS ARM	1 unit	
	Peripheral Intravenous (IV) Catheterization Arm		
	Property of the State of the St		
	This IV own feet was feet with the proofice performing periods and IV		
	-This IV arm features four veins to practice performing peripheral IV insertions. Each arm comes with two 1000 ml bags to use for simulating an IV		
	drip and blood flow through the arm. After inserting the catheter correctly,		
	students experience a realistic flashback for placement confirmation. This		
	model features two options: black tubing to help students see the vascular		
	anatomy before inserting a needle and clear tubing to allow them to locate vessels solely by palpation. Replace the outer layer of our proprietary in less		
	than five minutes, extending the life of the model. Tubing is also replaceable.		
	*Note: Come components of this product may contain later		
	*Note: Some components of this product may contain latex.		
3		1 unit	
	CPR Family Pack		
	The latest package of CPR manikins designed to stretch your training dollar.		
	The CPR Family Pack is a combination of two Economy Adult Manikins, one Child, and one Baby manikin. The easy-to-install airways eliminate the need		
	to clean the units between students. The manikins can be surface cleaned		
	after each session. The foam filling offers resistance for the practice of chest compression and the head tilt/chin lift procedure opens the airway for		
	ventilation. The package includes a carry bag, 100 Adult Face Shield Lung		
	Systems, 100 Child Face Shield Lung Systems, and 100 Baby Face Shield		
	Lung Systems. Size 21" x 15" x 19".		
	Ship weight 26 lbs.		
4	DEBRIEFING EQUIPMENT 2 x Debriefing Equipment (3 HD cameras, 1 NVR, 1 TB HDD, 1 monitor,	1 lot	
	1 keyboard and mouse)		
5	Defibrillator with AED first aid wall mount cabinet with alarm, customized	1 unit	
	logo print and instruction guide		

Our Vision





MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.con



Automatic Defibrillator

Technical Features:

Easy and Simple to use. With an impressive IP rating of 55 and the defibrillator being built into a carry case design, you can have confidence that no matter where the cardiac arrest has occurred, you can easily be transported to the location of the cardiac arrest and assist you in saving a life.

Key Features:

- •Simplistic, graphic interactive interface
- •CPR metronome to guide the rescuer with chest compressions
- •Emergency services number printed inside
- •Bracket at the back of the device to hold a spare set of electrode pads
- •Readiness indicator on the top right corner allows you to see if your AED is rescue ready and ready to be used
- •Repeat instruction button
- •IP55 rating
- •Fully automatic Unique Features
- •Data Management: Has the capability to store up to 2 hours of intervention data, including 500 events. By using an SD card you can retrieve the event data and can even update the software of the device.
- •Repeat Button: A cardiac arrest can be a very stressful situation for the rescuer, whether they're trainer or not and it can be easy to miss an instruction. The repeat button allows the rescuer to have the instruction repeated to them so they can continue on with the life-saving care with confidence.



MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan

www.bpsu.edu.p



ISO 9001:2015

bpsu.cnm.2018@gmail.con

• Fully Automatic: Fully automatic, will deliver the shock without intervention from the user, allowing the rescuer to focus completely on the CPR being delivered.

Technical Parameter:

Battery Standby: 6 years

Manual Override: No

IP Rating I: 55: the AED is protected against limited dust ingress and low

pressure water jets from any direction

Electrode Pad Life: 2 years

Automatic: Fully Automatic

Memory: 90 mins

ECG: No

Dimensions: H: 30cm x W: 23cm x D: 9cm

Weight: 2.6kg

AED first aid wall mount cabinet with alarm

Technical Features:

The CE approved AED first aid wall mount cabinet with alarm is designed with round corners which is more safe for people. High quality AED cabinet you can proudly display your AED for all to see and is protected from dirt, dust and possibly theft.

1.Size: H40*W36*D20cm

2.Material: Metal steel + Plexiglass in front

3. With alarm system (the alarm will run when someone opens the door)

4. Durable lock with 2 keys

5. Sound alarm strobe light

6. Certificate: CE, ISO, EMC, test report

6

7



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management ISO 9001:2015

7. Waterproof: IP 56 aed cabinet 8.Color: Available 9. Customized city logo print and instruction guide **DELIVERY BED TABLE** 1 unit GYNECOLOGY EXAMINATION BED CHAIR **Product Specification** Adjustable Back rest & leg rest to varying positions. Framework made of sturdy Steel two leg mounts holders. Mounted on protective stumps Confortable mattress Build in commode catch ring Size: 135 x 75 x 140 base The bed surface is soft, elastic, smooth and easy to clean. Thickened steel frame, seamless connection, more solid. Curved leg bracket, legs on the natural pressure-free, soft and comfortable. The bending part of the bed leg is symmetrical, the angle is gentle and the bending angle is the same. The leg bracket and handle are firmly fixed and flexible for lifting. **BABY BASSINET** 1 unit **SPECIFICATION:**

Our Vision

(STAINLESS)

Baby bassinet with stand single. With acrylic baby bassinet.

Frame is made of stainless steel, mounted on swivel caster wheel.

HOSPITAL BED

Dimensions: Over-all height (35.5cm x 71.1 cm x 20.3 cm)

Our Mission

2 units





MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.con CERTIFIED www.tuv.

Main Feature:

- Aluminum alloy head & foot boards with ABS panels, can be removable.
- Aluminum alloy side rail, collapsed type with safe lock.
- Bed sheet top made from perforated steel, epoxy powder coated and baked finish.
- Bed framework made from mild steel ERW rectangular tubes.
- Silence castors dia. 125mm with brake.
- Dimension: 2080*970*500mm
- 2 Functions adjusted by hand crank: Backrest lifting Angle: 80°±5°

Knee rest lifting Angle: 45°±5

9 OPERATING TABLE 1 unit



Operating Room Table

- Double table top, can put x-ray film cassette, suit for x-ray examination when you operate.
- With built-in battery.
- Base shell and stand column made of stainless steel.
- The leg board can be extension 90°, down folded 90°
- Table Height Range (mm): $(730\sim980)\pm50$
- Lateral Tilt (left/right): ≥20° / ≥20°
- Trendelenburg / Reverse: ≥25° / ≥25°
- Head Section up/down: ≥55° / ≥90°
- Back Section up/down: ≥45° / ≥15°

EULA STATE UNIVERSITY



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015 www.tuv.com ID 9108644336

bpsu.cnm.2018@gmail.com

10	OPERATING LIGHT	1 unit	
	Delivery room light		
	- Ceiling Type		
	- Luminance(lux):≥100000Lux		
	- Color temperature: 4000±500K		
	- Light source: OSRAM LED, 15pcs LED		
	- Bulb life:≥50000h		
	- Color indication index:≥90%		
11		5 units	
11	BEDSIDE TABLE Size: 480*430*880mm	5 units	
11	BEDSIDE TABLE	5 units	
11	BEDSIDE TABLE Size: 480*430*880mm	5 units	
	BEDSIDE TABLE Size: 480*430*880mm Material: Plastic		
	BEDSIDE TABLE Size: 480*430*880mm Material: Plastic		

Our Vision





MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.cor. CERTIFIED www.tuv.com

	 Strong Tubular frame work Sides of the top are covered with aluminum angles Non-slip rubber tips on stool legs Non-slip corrugated rubber step thread Finish: Stainless L-14" x H-9" 		
14	EMERGENCY CART	1 unit	
	 ABS Emergency Troller Specs: 630*475*930mm Mainly composed of plastic, aluminum steel structure ABS injection mold molding process forming integrated table ABS fence height of 70mm small items will not slip, easy to clean Transparent soft glass and plastic steel column are provided on the surface Positive: central lock drawer configuration with 5 layers, the first 2 small suction surface inside empty: 80mm-424*375*68mm, two suction surface in the empty: within 120mm-424-375-110mm, smoke face a deep inside empty: 240mm*424-375*220mm, 3*3 drawer separator, free space Drawer handle for dove tail style On the left side of the draw bench, ditty-bag Right: equipped with hidden inside telescopic infusion frame, top two liters a elan box, dirt bucket Bottom: Luxury universal plug in mute wheel, two of them with brake function, castor material for high strength of polyurethane, Anti-static, antihair winding, portable and flexible Gross Packing Weigh Sizet: 730*540*980 		
15	SURGICAL PEDAL SINK	1 unit	
	Stainless L 1400mm X W 400mm X H-900mm		

Our Vision

THE CHANGE OF TH



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.com

16	NURSE STATION DESK AND CABINET with Chair	1 lot	
	WHICH AND WAR WAS TO COMMISSION OF THE PROPERTY OF THE PROPERT		
	 Nurse station Desk Melamine Board, PVC Plastic L 2250mm/1760mm x W 700mm x H 800mm 		
	 Nurse Station Cabinet Melamine Board, PVC plastic Edge Hanging Cabinet – L 2400mm x W 350mm x H-750mm Side Table – L2400mm x W 650mm x H 900mm 		
17	CONTROL ROOM desk with chair	2 units	
	SET COTTON A TOWN 4. FORTING A NOT FROM A 11 BOOMSON COST WAYS, PROCESS DESIGN		
	-Control Room Desk with Chair		
	L-1200mm x W-750mm x H-900mm		
18	INCLUSION:	1 LOT	
	Civil Works		
	 Converting old entrance door to concrete wall Dismantling of laboratory Side table with sink Installation of Room Partitions with curtains Installation of Room Partitions with Door and One-way Mirror 		
	 All electrical wiring system, lightning fixtures and outlets Water line system 		





MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015 www.tuv.com ID 9108644336

em No.	Description	Qty	Unit Price
1	BIRTHING CLINIC EQUIPMENT	1 LOT	Php 2,700,000.00
<u> </u>			• • •
	GYNECOLOGICAL, ELECTRIC		
	Features: 1. Multi-purpose obstetric table is designed for delivery, abortion and		
	gynecological examination.		
	2. Hydraulic control Obstetric delivery table with 3 sections.		
	3. It is characterized by easy operation, safely and reliable, economical use.		
	4. Base cover and side rails made of stainless steel. (non magnetic #304)		
	5. It is composed of bed surface, bedstead and bed base.		
	6. The surface includes back section, seat section and leg section.		
	7. The up-down movement of back section, forward and back tilt of bed surface are controlled by the operating hand wheel, which makes doctors and patients feel comfortable.		
	8. Table height adjustable by means of foot pedal.		
	9. Poly foam mattress with all around synthetic cover.		
	10. Two stainless steel rods (non magnetic #304) on each side of the table for the patient to hold during labour pain.		
	11, Consisting of back section & seat section, which are covered synthetic resin.		
	12、Knee crutches and foot support to be available .		
		l	İ

PHILIPPING



BATAAN PENINSULA STATE UNIVERSITY

MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

alanga, 2100 Bataan bpsu.cnm.2018@gmail.con

13. The forward and back ward tilt are controlled by the operating hand 14. Stainless steel bucket (non magnetic #304) arrangement underneath to receive waste. **DELIVERY BED TABLE** 2 1 unit GYNECOLOGY EXAMINATION BED CHAIR **Product Specification** Adjustable Back rest & leg rest to varying positions. Framework made of sturdy Steel two leg mounts holders. Mounted on protective stumps Confortable mattress Build in commode catch ring Size: 135 x 75 x 140 base The bed surface is soft, elastic, smooth and easy to clean. Thickened steel frame, seamless connection, more solid. Curved leg bracket, legs on the natural pressure-free, soft and comfortable. The bending part of the bed leg is symmetrical, the angle is gentle and the bending angle is the same. The leg bracket and handle are firmly fixed and flexible for lifting. 3 **HOSPITAL BED** 3 units Main Feature: Aluminum alloy head & foot boards with ABS panels, can be Aluminum alloy side rail, collapsed type with safe lock. Bed sheet top made from perforated steel, epoxy powder coated and baked finish. Bed framework made from mild steel ERW rectangular tubes. Silence castors dia. 125mm with brake. Dimension: 2080*970*500mm 2 Functions adjusted by hand crank: Backrest lifting Angle: 80°±5°





MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.cor. CERTIFIED www.tuv.com

HILIPI	TINES ORDING AND MINISTER		
	Knee rest lifting Angle: 45°±5		
4	BABY BASSINET	5 units	
	SPECIFICATION:		
	/···		
	• (STAINLESS)		
	Baby bassinet with stand single.With acrylic baby bassinet.		
	Frame is made of stainless steel, mounted on swivel caster wheel.		
	Dimensions: Over-all height (35.5cm x 71.1 cm x 20.3 cm)		
	2 manaration of the familiary and the same a		
	ABS Emergency Troller		
	• Specs: 630*475*930mm		
	Mainly composed of plastic, aluminum steel structure		
	ABS injection mold molding process forming integrated table		
	ABS fence height of 70mm small items will not slip, easy to clean Transparent seft glass and plastic steel column are provided on the surface.		
	 Transparent soft glass and plastic steel column are provided on the surface Positive: central lock drawer configuration with 5 layers, the first 2 small suction surface inside empty: 80mm-424*375*68mm, two suction surface in the empty: within 120mm-424-375-110mm, smoke face a deep inside empty: 240mm*424-375*220mm, 3*3 drawer separator, free space 		
	Drawer handle for dove tail style		
	On the left side of the draw bench, ditty-bag		
	Right: equipped with hidden inside telescopic infusion frame, top two liters a elan box, dirt bucket		
	 Bottom: Luxury universal plug-in mute wheel, two of them with brake function, castor material for high strength of polyurethane, Anti-static, anti- 		
	hair winding, portable and flexible		
	Gross Packing Weigh Sizet: 730*540*980		
6	IV INFUSION PUMP	1 unit	





MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.com

PHILIPP	TN ES AND MUNIFERS		
	Features:		
	Alarm : Air in line, Occlusion, Flowerror (FreeFlow), Dooropen, K.V.O. (Infusion completion), Standby, Lowbattery, Alarm, Device malfunction (CPU error), Empty Container		
7	BEDSIDE TABLE	5 units	
	Size: 480*430*880mm Material: Plastic		
8	IV STAND	6 units	
	4 hooks		
9	FOOTSTOOL	3 units	
	 Strong Tubular frame work Sides of the top are covered with aluminum angles Non-slip rubber tips on stool legs Non-slip corrugated rubber step thread 		

Our Vision



MAIN CAMPUS

College of Nursing and Midwifery City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015 www.tuv.com ID 9108644336

TILLE	ANO AND MIDMIT		
	Finish: Stainless		
	• L-14" x H-9"		
10	NURSE STATION DESK with Chair - Nurse station Desk Melamine Board, PVC Plastic L 2250mm/1760mm x W 700mm x H 800mm	1 UNIT	
11	Curtains and Partitions	1 lot	
12	Droplight	2 units	
13	Doppler Building speaker Out beauser, drawn to the 2 of the first house per source) The beauser, drawn to the 2 of the first house per source) The beauser of the season of	2 units	
14	Clinic bed	1 unit	
15	Clinic room Table, Chair And Filing Cabinet	1 lot	

Our Vision





MAIN CAMPUS

College of Nursing and Midwifery
City of Balanga, 2100 Bataan

www.bpsu.edu.p



Management System ISO 9001:2015

bpsu.cnm.2018@gmail.con CERTIFI

16	Waiting Chair	1 unit	
17	AED port	1 unit	
	AED port is an incredibly small and light pocket defibrillator. AED port is the ideal companion for physicians, public service staff, even for risk patients and their family members, or other persons trained in early defibrillation. This dramatically reduces the response time to treat ventricular fibrillation and tachycardias, giving victims a much better chance of survival.		
	Features		
	 Ultra light – only 490 grams (incl. batteries) Ultra small – 133 x 126 x 35 mm (l x w x h) High-resolution LCD Configurable adult and paediatric energy settings according to standard values Automatic switch to paediatric energy level when paediatric electrodes are connected Manual override: doctors can override the AED mode and decide whether they want to deliver the shock or not Training unit available 		