

***BATAAN PENINSULA STATE UNIVERSITY***

*Balanga City, Bataan*

# OFFICIAL BIDDING FORM

Item No.	QTY	Unit	SPECIFICATIONS	OFFER; (Brand)	Unit Cost	Total Cost
1	1	lot	LOT 1 - IT EQUIPMENT & FIXTURES		1,160,000.00	1,160,000.00
1.1	7	unit	<b>Laptop</b> M1 Chip with 8-core CPU, 8-core GPU, and 16-core Neural Engine 8GB unified memory 256 GB SSD Storage 13-inch Retina display with True Tone Backlit Magic Keyboard - US English Touch Bar and Touch ID Two Thunderbolt / USB 4 ports			
1.2	2	unit	<b>Desktop</b> 24" 165Hz IPS Monitor AMD Ryzen 5 5600 B550M Motherboard 1650 GTX GPU 32GB (16GBx2) DDR4 3600Mhz 1 TB NVME M.2 SSD 2TB HDD 650W Gold Rated Power Supply Plain Chassis (Fans included) 1500 VA UPS Wireless rechargeable mouse and keyboard Webcam with Noise Cancellation 90cm x 30 cm Extended Mousepad Wireless Headset WiFi Dongle			
1.3	2	unit	<b>Split-type Inverter Aircon</b> Cooling Capacity: 2.5 hp EER Rating: 11.7 Length (cm): Indoor: 87, Outdoor: 29 Height (cm): Indoor: 54, Outdoor: 55 Width (cm): Indoor: 183, Outdoor: 78 Advanced Nano Filtration System Double clean system R32 refrigerant Eco sleep timer 5 fan speeds Low energy consumption			
1.4	1	unit	<b>Interactive Digital Board</b> Active Screen Size: 65" Display Area: 1432 x 807 mm Display Color Depth 8-bit Contrast Ratio: 4000:1 Frequency Response: 180 - 20 KHz Max. Power Output: 15W x 2 Outline Dimensions: 1546 x 944 x 96 mm OPS PC Wi-Fi Dongle Trucast Express (Screen Sharing) Front Interface Inputs: HDMI 1.4 x 1, USB (Touch) x 1, USB (Dynamic) x 2, MIC x1 Rear AV Inputs: HDMI 2.0 (4K@60Hz) x 2, DP 1.2(4K@60Hz) x 1, VGA (1920x1080@60Hz) x 1, PC Audio x 1, USB (Touch)x4 AV Outputs: HDMI Out (Support 4K@60Hz)			
2	1	lot	LOT 2 - OFFICE EQUIPMENT		1,316,000.00	1,316,000.00

2.1		1	<b>Labeling Printer Machine</b> 24-inch Large Format Printer Durable and vibrant printouts with all-pigment UltraChrome XD Ink Outstanding speeds of up to 2 A1 prints per minute Unparalleled Versatility: Produce a variety of prints with impeccable precision on a range of substrates, including 1.5mm thickboards. from architectural plans to maps and 3D renderings Exceptional Productivity Speed: Print documents at outstanding speeds* of up to 2 A1 prints per minute for CAD documents, Printing Technology: PrecisionCore TFP Printhead with Variable-Sized Droplet Technology Nozzle Configuration: 720 nozzles each colour (x5) Maximum Print Resolution: 2880x1440 dpi Minimum Ink Droplet Size: 3.5pl Line Accuracy: +/-0.1% Minimum Line Width: 0.02mmPoster / CAD Plain Paper Speed A1(Long Edge First): Approx. 28 sec / A1 Speed mode (w/cut) Connectivity: Hi-Speed USB, 10BASE-T/100BASE-TX / 1000BASE-T Recommended System Requirements: PC: Windows 10 / 8.1 / 8 / 7 / Vista / XP; Core 2 Duo 3.05GHz, Memory more than 1GB, HDD Free Space more than 32GB Macintosh Mac OS X (10.5.8 or later); Core 2 Duo 3.05GHz, Memory more than 1GB, HDD Free Space more than 32GB			
2.2	1	Unit	<b>Laser Engraver</b> Work Area: 24" x 24" (610 x 610 mm) Material Thickness: 10" (254 mm) Laser Tube Type: CO2 - air-cooled, metal/ceramic Waveguide tube, 10.6 micrometers Laser Tube Wattages: CO2: 40 Watts IRIS Camera System: 2 overhead Wireless Connectivity: Included Included Lenses: 2" - CO2 Resolution: Fully-flexible & user-controlled from 75-1200 dpi Maximum Engraving Speed (inches/meters per second): 120 IPS (3.05 m/s) with 5G acceleration. Computer-controlled in 0.001 increments up to 100%. Color mapping feature links Speed, Power, Frequency, and Raster/Vector mode. Print Driver & Software: Laser Dashboard TM, Epilog Jon Manager Internal Memory: Store multiple files up to 1 GB. Engrave any file size. Operating Modes: Optimized raster, vector, and combined mode Motion System: Brushless DC Servo Motors X-Axis Bearings: Ground & polished stainless steel, teflon-coated, self-lubricating bearings, dual blocks on x-axis for greater rigidity Belts: Advanced B-style double-wide kevlar precision drive belts. Included Table: Honeycomb Cutting Table Size (W x D x H): 41.52" x 32.81" x 38.04" / 1055 x 834 x 967 mm Weight: 225 lbs (102 kg) Class: Class 2 Laser Product - 1mW cW Maximum 600-700nm			
2.3	1	Unit	<b>Photocopier Machine</b> General type: Colour multifunctional for A3 format Operation panel: 109.2 mm (4.3 inch), full-colour touch panel display, speaker for job notification Engine speed: Up to 24/12 pages A4/A3 per minute in colour and b/w Resolution: 1200 x 1200 dpi (print), 600 x 600 dpi (scan/copy) Warm-up time: Approx. 30 seconds or less CPU: ARM Cortex-A9 Dual core 1,2 GHz Power source: AC 220 V, 50 Hz Power consumption: Sleep-mode: 0.5W, Stand-by: 70W, Copying/Printing: 550W Dimensions (W x D x H): 590 x 590 x 753 mm (with standard Document Processor) Weight: Approx. 76 kg (with standard Document Processor) Noise (sound pressure level: ISO 7779/ISO 9296) Copying/Printing in b/w: 52 dB (A) Copying/Printing in colour: 53 dB (A) Stand-by: 34 dB (A) Safety standards: AS/NZS3260			
2.4	2	pc.	Black Toner Cartridge for Photocopier Machine			
	2	pc.	Cyan Toner Cartridge for Photocopier Machine			
	2	pc.	Yellow Toner Cartridge for Photocopier Machine			
	2	pc.	Magenta Toner Cartridge for Photocopier Machine			
			Indicate the <u>brand/samples/brochures</u> of the items being offered.	TOTAL ABC		2,476,000.00
*****Nothing Follows*****						

NOTE:

1. All Entries must be typewritten

2. Delivery period within 30 calendar days from the commencement date.
- After having carefully read and accepted your General conditions, I / We quote on the item / s at prices

3. Warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.
4. Price validity shall be for a period of 120 calendar days
5. G-EPS Registration Certificate shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product being offered.

noted above.

Printed Name / Signature

---

Tel. No. / Cellphone no.

---

E-mail Address