



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 9857476
Procuring Entity BATAAN PENINSULA STATE UNIVERSITY
Title BPSU MCO IA Supply & Delivery of IT Equipment for Graphic Design use
Area of Delivery Bataan

Solicitation Number:	MCO2023-06-461	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology		
Approved Budget for the Contract:	PHP 256,000.00	Document Request List	0
Delivery Period:	20 Day/s		
Client Agency:		Date Published	17/06/2023
Contact Person:	Riezle Clarin Muñoz Procurement Unit Capitol Site Balanga City Bataan Philippines 2100 63-47-2371341 63-932-8662730 rcmunoz@bpsu.edu.ph	Last Updated / Time	16/06/2023 13:49 PM
		Closing Date / Time	20/06/2023 17:00 PM

Description

Qty. Unit of Measure Description/Offer
1 Unit LAPTOP M2 CHIP
"8-core CPU with 4 performance cores and 4 efficiency cores
10-core GPU 16-core Neural Engine 100GB/s memory bandwidth
Media engine
Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW Video decode engine Video encode engine ProRes
encode and decode engine
Retina display
13.3-inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch
with support for millions of colors 500 nits brightness Wide color (P3) True Tone technology
8GB ; 8GB unified memory
Configurable to: 16GB or 24GB
Storage : 256GB 256GB SSD
Backlit Magic Keyboard with:
65 (U.S.) or 66 (ISO) keys including 4 arrow keys in an inverted-T arrangement Touch Bar Touch ID Ambient light
sensor Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks,
accelerators, pressure-sensitive drawing, and Multi-Touch gestures
720p FaceTime HD camera
Advanced image signal processor with computational video

"
1 unit SPEAKER
"Physical Attributes

Bluetooth 5.0 technology ensures a stable connection
68 watts peak power output with 5" woofer
100% wooden enclosure subwoofer delivers rich sound
Stand-mounted satellite speakers ideal for listening
Bluetooth version
V5.0

Power output (RMS)
34W (R/L:8W+8W SW:18W)
Frequency response
R/L: 210Hz-20kHz;
SW: 63Hz-206Hz
Audio inputs
AUX, Bluetooth
Signal-noise ratio
R/L: $\geq 85\text{dB(A)}$ SW: $\geq 80\text{dB(A)}$
Input sensitivity
AUX: R/L: $500\pm 50\text{mV}$;
SW: $110\pm 20\text{mV}$;
Bluetooth: R/L: $500\pm 50\text{mFFs}$;
SW: $110\pm 20\text{mFFs}$;
Noise level
 $\leq 25\text{dB(A)}$
"

page 1 of 3

1 unit LAPTOP M1 CHIP

"8-core CPU with 4 performance cores and 4 efficiency cores

7-core GPU

16-core Neural Engine

Retina Display

13.3-inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors

Supported scaled resolutions:

- 1680 by 1050
- 1440 by 900
- 1024 by 640

400 nits brightness; Wide color (P3); True Tone technology

Battery and Power ; Up to 15 hours wireless web

Up to 18 hours Apple TV app movie playback

Built-in 49.9 watt hour lithium polymer battery

30W USB-C Power Adapter

Charging and Expansion

Two Thunderbolt / USB 4 ports with support for:

Charging ; DisplayPort ; Thunderbolt 3 (up to 40 Gbps)

USB 4 (up to 40 Gbps)

USB 3.1 Gen 2 (up to 10 Gbps)

Memory

8 GB ; 8 GB unified memory ;

Configurable to: 16 GB

Storage

256 GB

256GB SSD

Configurable to: 512GB, 1TB, OR 2TB

Keyboard and Trackpad

Backlit Magic Keyboard with:

78 (U.S.) or 79 (ISO) keys including 12 function keys and 4 arrow keys in an inverted-T arrangement

Ambient light sensor

Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks, accelerators, pressure-sensitive drawing, and Multi-Touch gestures"

1 unit WIRELESS PROFESSIONAL MICROPHONE SYSTEM

"Dual UHF Wireless Microphone

- UHF Freq.: 600 - 724 MHz
- 200 Selectable Frequencies
- 100 Freq. each channel
- Easy to sync and operate
- Colored LCD display in receiver
- LCD display on handheld
- 1U Space Rack Mountable
- Dual Antenna Receiving System
- Transmitter Display Battery Status"

1 unit LCD PROJECTOR X1129HP

"Projection Method 0.55" DarkChip™ 3 DMD

Projection Lens

Lens Type ANSI Lumens

Minimum Lens Aperture 22.0

Maximum Lens Aperture 24.1

Lens Shift Manual Zoom and Manual Focus

Lamp

Number of Lamps 1

Normal Mode Lamp Life 5,000 Hours (Standard)
 Economy Mode Lamp Life 10,000 Hours (ECO)
 ExtremeEco Mode Lamp Life 15,000 Hours (ExtremeEco)
 Supported Multimedia Formats
 Video Formats Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1
 Audio Formats HDMI and PC Audio
 Image Formats Analog RGB
 Audio
 HD Audio Yes
 Speakers Yes
 Interfaces/Ports
 HDMI Yes
 USB Yes
 Headphone Yes
 Component Video Yes
 Physical Characteristics
 Color BLACK"
 page 2 of 3
 1 unit PORTABLE DOCUMENT SCANNER
 "SCANNING SPEED
 25ppm (A4) 2-sided colour scan speed
 DOCUMENT SIZE - MULTIPLE PAPERS - WIDTH
 51 mm to 215.9 mm
 DOCUMENT SIZE - MULTIPLE PAPERS - LENGTH
 70 mm to 863 mm
 DOCUMENT SIZE - SINGLE PAPER - WIDTH
 51 mm to 215.9 mm
 DOCUMENT SIZE - SINGLE PAPER - LENGTH
 70 mm to 863 mm
 COLOUR / BLACK
 Yes/Yes
 DUPLEX SCAN
 Yes
 COLOR DEPTH - INPUT
 48-bit colour processing
 COLOR DEPTH - OUTPUT
 24-bit colour processing
 RESOLUTION - OPTICAL
 Max. 600 dpi × 600 dpi
 RESOLUTION - INTERPOLATED
 Max. 1,200 dpi × 1,200 dpi
 SCANNING WIDTH
 Max.216 mm
 GRAYSCALE
 256 levels
 PRODUCT DIMENSIONS (WIDTH X DEPTH X HEIGHT)
 300 mm x 103 mm x 83 mm"
 1 unit CAMERA
 "Eos R50 (RF-S18-45mm f/4.5-6.3 IS STM)AF Modes
 One-Shot AF, AI Focus AF (stills), Servo AF / Movie Servo AF
 AF Point Selection
 Spot AF, 1-point AF, Expand AF area (above/below/left/right or around), Flexible Zone AF 1/2/3, Whole area AF
 AF System Points
 Up to 651 AF frame zones
 Closest Focusing Distance (cm)
 20 (AF, f=18mm)
 15 (MF, f=18mm)
 Dimensions (Excl. Protrusions) (mm) (Approx.)
 116.3 × 85.5 × 113.1
 Effective ISO
 Stills: 100–32,000 (H:51,200)
 Movie: 100–12,800 (H:25,600)
 HDR PQ movies: ISO 100–12,800
 Effective Pixels (Megapixels)
 24.2
 Focal Length (35mm Equivalent)
 29-72mm
 Guide Number ISO 100 metres
 6
 Image Resolution
 6000×4000 (JPEG L/RAW/C-RAW/HEIF)
 3984×2656 (HEIF, JPEG M)
 2976×1984 (HEIF, JPEG S1)
 2400×1600 (HEIF, JPEG S2)"
 nothing follows

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

REQUEST FOR QUOTATION/PROPOSAL

BPSU MCO IA Supply &
Delivery of IT Equipment for
Graphic Design use

Bidder:	Office/Section	
Address:	PR no.	MCO 2023-06-461
E-Mail Address:	Quotation No.	Philgeps-2023-06-107mco
Contact No.	TIN.no : (indicate VAT or Non-Vat)	

Please quote your lowest price on the item/s listed below,subject to the General Conditions on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than in the return envelope attached herewith.


RIEZEL CLARIN MUNOZ
Procurement Unit

- Note:
1. ALL ENTRIES MUST BE COMPLETELY FILLED-OUT & INDICATE THE NAME OF THE BRAND BEING OFFERED.

2.DELIVERY PERIOD WITHIN SEVEN OR FIFTEEN CALENDAR DAYS(MAXIMUM)

3. WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR NON-EXPENDABLE SUPPLIES, ONE (1) YEAR FOR NON EXPENDABLE SUPPLIES FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.

4. PRICE VALIDITY SHALL BE FOR A PERIOD OF THIRTY(30) CALENDAR DAYS

5. PhilGEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION

6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATE OF THE PRODUCT BEING OFFERED.

ABC P256,000.00

No.	Qty.	Unit of Measure	Description/Offer	Unit Price	Total Cost
1	1	Unit	LAPTOP M2 CHIP		
			8-core CPU with 4 performance cores and 4 efficiency cores 10-core GPU 16-core Neural Engine 100GB/s memory bandwidth Media engine Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW Video decode engine Video encode engine ProRes encode and decode engine Retina display 13.3-inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors 500 nits brightness Wide color (P3) True Tone technology 8GB ; 8GB unified memory Configurable to: 16GB or 24GB Storage : 256GB 256GB SSD Backlit Magic Keyboard with: 65 (U.S.) or 66 (ISO) keys including 4 arrow keys in an inverted -T arrangement Touch Bar Touch ID Ambient light sensor Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks, accelerators, pressure-sensitive drawing, and Multi-Touch gestures 720p FaceTime HD camera Advanced image signal processor with computational video		
2	1	unit	SPEAKER		
			Physical Attibutes Bluetooth 5.0 technology ensures a stable connection 68 watts peak power output with 5" woofer 100% wooden enclosure subwoofer delivers rich sound Stand-mounted satellite speakers ideal for listening Bluetooth version V5.0 Power output (RMS) 34W (R/L:8W+8W SW:18W) Frequency response R/L: 210Hz-20kHz; SW: 63Hz-206Hz Audio Inputs AUX, Bluetooth Signal-noise ratio R/L: ≥85dB(A) SW: ≥80dB(A) Input sensitivity AUX: R/L: 500±50mV; SW: 110±20mV; Bluetooth: R/L: 500±50mFFs; SW: 110±20mFFs;		

3	1	unit	LAPTOP M1 CHIP		
			8-core CPU with 4 performance cores and 4 efficiency cores 7-core GPU 16-core Neural Engine Retina Display 13.3-Inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors Supported scaled resolutions: <ul style="list-style-type: none"> • 1680 by 1050 • 1440 by 900 • 1024 by 640 400 nits brightness;Wide color (P3);True Tone technology Battery and Power ; Up to 15 hours wireless web Up to 18 hours Apple TV app movie playback Built-in 49.9 watt hour lithium polymer battery 30W USB-C Power Adapter Charging and Expansion Two Thunderbolt / USB 4 ports with support for: Charging ; DisplayPort ; Thunderbolt 3 (up to 40 Gbps) USB 4 (up to 40 Gbps) USB 3.1 Gen 2 (up to 10 Gbps) Memory 8 GB ;8 GB unified memory ; Configurable to: 16 GB Storage 256 GB 256GB SSD Configurable to: 512GB, 1TB, OR 2TB Keyboard and Trackpad Backlit Magic Keyboard with: 78 (U.S.) or 79 (ISO) keys including 12 function keys and 4 arrow keys in an Inverted-T arrangement Ambient light sensor Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks, accelerators, pressure-sensitive drawing, and Multi-Touch gestures		
4	1	unit	WIRELESS PROFESSIONAL MICROPHONE SYSTEM		
			Dual UHF Wireless Microphone <ul style="list-style-type: none"> • UHF Freq.: 600 - w724 MHZ • 200 Selectable Frequencies • 100 Freq. each channel • Easy to sync and operate • Colored LCD display in receiver • LCD display on handheld • 1U Space Rack Mountable • Dual Antenna Receiving System • Transmitter Display Battery Status 		
5	1	unit	LCD PROJECTOR X1129HP		
			Projection Method 0.55" DarkChip™ 3 DMD Projection Lens Lens Type ANSI Lumens Minimum Lens Aperture 22.0 Maximum Lens Aperture 24.1 Lens Shift Manual Zoom and Manual Focus Lamp Number of Lamps 1 Normal Mode Lamp Life 5,000 Hours (Standard) Economy Mode Lamp Life 10,000 Hours (ECO) ExtremeEco Mode Lamp Life 15,000 Hours (ExtremeEco) Supported Multimedia Formats Video Formats Analog RGB/Component Video (D-sub) x 1 Composite Video (RCA) x 1 Audio Formats HDMI and PC Audio Image Formats Analog RGB Audio HD Audio Yes Speakers Yes Interfaces/Ports HDMI Yes USB Yes Headphone Yes Component Video Yes Physical Characteristics Color BLACK		

			PORTABLE DOCUMENT SCANNER			
			SCANNING SPEED 25ppm (A4) 2-sided colour scan speed DOCUMENT SIZE - MULTIPLE PAPERS - WIDTH 51 mm to 215.9 mm DOCUMENT SIZE - MULTIPLE PAPERS - LENGTH 70 mm to 863 mm DOCUMENT SIZE - SINGLE PAPER - WIDTH 51 mm to 215.9 mm DOCUMENT SIZE - SINGLE PAPER - LENGTH 70 mm to 863 mm COLOUR / BLACK Yes/Yes DUPLEX SCAN Yes COLOR DEPTH - INPUT 48-bit colour processing COLOR DEPTH - OUTPUT 24-bit colour processing RESOLUTION - OPTICAL Max. 600 dpi × 600 dpi RESOLUTION - INTERPOLATED Max. 1,200 dpi × 1,200 dpi SCANNING WIDTH Max.216 mm GRAYSCALE 256 levels PRODUCT DIMENSIONS (WIDTH X DEPTH X HEIGHT) 300 mm x 103 mm x 83 mm			
6	1	unit				
			CAMERA			
			Eos R50 (RF-S18-45mm f/4.5-6.3 IS STM)AF Modes One-Shot AF, AI Focus AF (stills), Servo AF / Movie Servo AF AF Point Selection Spot AF, 1-point AF, Expand AF area (above/below/left/right or around), Flexible Zone AF 1/2/3, Whole area AF AF System Points Up to 651 AF frame zones Closest Focusing Distance (cm) 20 (AF, f=18mm) 15 (MF, f=18mm) Dimensions (Excl. Protrusions) (mm) (Approx.) 116.3 × 85.5 × 113.1 Effective ISO Stills: 100 – 32,000 (H:51,200) Movie: 100 – 12,800 (H:25,600) HDR PQ movies: ISO 100 – 12,800 Effective Pixels (Megapixels) 24.2 Focal Length (35mm Equivalent) 29-72mm Guide Number ISO 100 metres 6 Image Resolution 6000×4000 (JPEG L/RAW/C-Raw/HEIF) 3984×2656 (HEIF, JPEG M) 2976×1984 (HEIF, JPEG S1) 2400×1600 (HEIF, JPEG S2)			
7	1	unit				
			nothing follows			
				Page 3 of 3		

jnozl63rdeth7

Delivery Period

Warranty

Price Validity

Printed Name/Signature

Tel.No./Cellphone No./e-mail address

Date