



Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 9585607
Procuring Entity BATAAN PENINSULA STATE UNIVERSITY
Title BPSU MC NSTP Supply and Delivery of IT Equipment and Office Supplies and Consumables
Area of Delivery Bataan

Solicitation Number:	MC23-03-139	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	General Merchandise		
Approved Budget for the Contract:	PHP 283,940.00	Document Request List	0
Delivery Period:	15 Day/s		
Client Agency:		Date Published	19/03/2023
Contact Person:	Riezle Clarin Muñoz Procurement Unit Capitol Site Balanga City Bataan Philippines 2100 63-47-2371341 63-932-8662730 rcmunoz@bpsu.edu.ph	Last Updated / Time	18/03/2023 23:38 PM
		Closing Date / Time	22/03/2023 17:00 PM

Description

1 1 unit "DSLR Camera
24MP APS-C CMOS sensor with Dual Pixel AF
45-point AF system with all cross-type points
3" 1.04M-dot articulating touchscreen
1080/60p video capture
7 fps continuous shooting with AF
Weather-resistant body
7560-pixel RGB+IR Metering Sensor
Wi-Fi + NFC"
2 1 pc "Camera Battery (LP-E6) 7.4V 1600mAh
Lithium ion, 7.4 V., 1600 mAh, 11 Wh, 84 g."
3 1 pc "Tripod
Load Capacity: 4.4 lb, Max Height: 56.5", Min Height: 20.9", Folded Length: 22.4", Leg, Sections: 3, Weight: 2.95 lb, 3-Way Pan Tilt/Head with QR Plate, Mid-Level Spreader, Geared Center Column, Carrying Case"
4 2 pcs "SD Card
Capacity: 64 GB, Performance1: 100MB/s Read, UHS-I Speed Class, U1, V10, Format: exFAT (64 GB-512 GB), Operating temperature: -25 °C~85 °C, Storage temperature: -40 °C~85 °C, Voltage: 3.3 V"
5 10 pcs "UNIVERSAL OUTLET EXTENSION CORD 5-GANG WITH SWITCH
10 meter cord length
2500W 10A 250V"
6 1 pc "Card Reader USB3.0
support reading 4 cards at the same time, Installation: External, Card Slots: Multi in 1, Type : TF Card/SD Card/CF

Card/MS Card, Product interface: USB3.0, Theoretical transmission speed: 5Gbps, Supported card types: TF, Secure Digital, CF, MS, support reading 4 cards at the same time), Supported maximum capacity: 2TB, Operating system compatible: for Windows XP / 7/8 +; for Mac OS X 10.5 +, for Linux 2. 4.x +"

7 4 unit "Portable Speakers
400w Powered Portable Sound System, Plastic Cabinet, AC220V or DC12V (With built-in Rechargeable Batteries), With 3 Wireless Microphone, With 3 Mic Input (1xlr, 1pl55), With FM Radio, Bluetooth, Guitar Input Shared with 2, Mic Input, USB & SD Port, With 5 Band Equalizer and LCD Display, With AUX/ Line In and Line Out, With Remote Control, Handle, and Wheels"

8 3- unit "Printer
Print, Scan, Copy, Fax with ADF, Compact integrated tank design, High yield ink bottles, Spill-free, error-free refilling, Wi-Fi, Wi-Fi Direct, Borderless printing up to 4R"

9 1 unit "Wireless Microphone
Dedicated professional outdoor performance
Wide Frequency Response - digital control circuit, Resist disturbing strongly, be standing by noises output to zero, Super silent function, low T.H.D. so the bass is rich, mediant is brightness and alt is clear, No hitting when putting on the switch, so can protect the amplifier and speakers, With a complete working state and hand hand-held microphones power level indicating. (The signal lamp shine continues to replace the battery), With a wide using a range for over 50M in a good surrounding, for 30M in a duplicate one."

10 2 unit "Wired Microphone
5 or 10 meter cord length
frequency response microphone that delivers warm and smooth audio in close-proximity studio and vocal applications."

11 3 unit "Megaphone
60W rechargeable megaphone, powered by included rechargeable batteries. Message recording function, removable external microphone, siren, MP3 control, USB input, SD BLUETOOTH, and AUX input."

12 1 pc "First Aid Trauma Bag
Elastic Adhesive Plaster Roll 25mm, Antiseptic Solution 50ml, Burns Dressing 10cm x 10cm, Alcohol Swabs (Singles), Conforming Bandage 75mm, Conforming Bandage 100mm, Saline 200ml, Multi Trauma Dressing, IV Cannula, 5ml Syringe, CPR Mouth Piece, Metal Tweezer, Gauze Swabs 100mm x 100mm Sterile (5's), Examination Gloves (Pairs), First Aid Dressing No. 3, First Aid Dressing No. 5, First Aid Dressing No. 2, Plaster Strips, Safety Pins - 12/Set, Rescue Scissors 19cm, Burns Gel 100ml, Triangular Bandages N/W, Burns Dressing 20cm x 20cm, Burns Dressing 60cm x 40cm, Guedel Airways Assorted, Eye Pad, Trauma Pad 10cm x 10cm, Trauma Pad 10cm x 20cm, 10cml Syringe, 21 Hypodermic Needles, IV Admin Set 20dr/ml, IV Admin Set 60dr/ml, Plastic Tape 25mm, Island Dressing 6 x 8cm, Island Dressing 10 x 15cm, Cohesive Bandage 75mm, Triangular Bandage Calico. With bag."

13 4 pcs "Modular Evacuation Tent
6-8 person CAPACITY, ROLLED SIDE DOOR, COVER WITH NET DOUBLED LAYER, MOSQUITO, TOP NET COVER (Zipper Type), DIMENSION: OPEN: 250X250XH180CM, SPRING STEEL WIRE 2.5x7MM, ROLLED SIDE DOOR, INSIDE POCKET 20CMX20CM
MATERIALS: OXFORD 210D POLYESTER SILVER COATED WALL AND FLOOR, LIGHTWEIGHT AND COMPACT FOR STORAGE, LABEL POCKET HOLDER 105X148MM, WITH CARRYING BAG"

14 10 pcs "Foldable Retractable Tent
4x4m. Outdoor Tent Waterproof with Stand: Poles and side handles. It can be retracted and attached to the tent."

15 1 unit "Mixer Amplifier
16 Channel Audio Mixer with 400 x 400 Watt Internal Amplifier and 24-Bit Effects Processor
QR Code "

16 3 cart DDM TONER

17 10 pcs "Double A rechargeable battery
Minimum Capacity: 2000mAh
Voltage: 1,2V"

18 1 unit Double A battery charger

19 *****Nothing Follows*****

Created by Riezle Clarin Muñoz

Date Created 18/03/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

REQUEST FOR QUOTATION/PROPOSAL

BPSU MC NSTP Supply and
Delivery of IT Equipment and
Office Supplies and
Consumables

Bidder:	<div></div>	Office/Section	<div></div>
Address:	<div></div>	PR no.	<div></div>
E-Mail Address:	<div></div>	Quotation No.	<div></div>
Contact No.	<div></div>	TIN.no : <small>(indicate VAT or Non-Vat)</small>	<div></div>

MC23-03-139
Philgeps-2023-03-019mc

Please quote your lowest price on the item/s listed below,subject to the General Conditions on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than in the return envelope attached herewith.



RIEZLE CLARIN MUÑOZ
Procurement Unit

- Note:
1. ALL ENTRIES MUST BE COMPLETELY FILLED-OUT & INDICATE THE NAME OF THE BRAND BEING OFFERED.

2.DELIVERY PERIOD WITHIN SEVEN OR FIFTEEN CALENDAR DAYS(MAXIMUM)

3. WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR NON-EXPENDABLE SUPPLIES, ONE (1) YEAR FOR NON EXPENDABLE SUPPLIES FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.

4. PRICE VALIDITY SHALL BE FOR A PERIOD OF THIRTY(30) CALENDAR DAYS

5. PhilGEPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION

6. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATE OF THE PRODUCT BEING OFFERED.

No.	Qty.	Unit of Measure	Description/Offer	Unit Price	Total Cost
1	1	unit	DSLR Camera 24MP APS-C CMOS sensor with Dual Pixel AF 45-point AF system with all cross-type points 3" 1.04M-dot articulating touchscreen 1080/60p video capture 7 fps continuous shooting with AF Weather-resistant body 7560-pixel RGB+IR Metering Sensor Wi-Fi + NFC		
2	1	pc	Camera Battery (LP-E6) 7.4V 1600mAh Lithium ion, 7.4 V., 1600 mAh, 11 Wh, 84 g.		
3	1	pc	Tripod Load Capacity: 4.4 lb, Max Height: 56.5", Min Height: 20.9", Folded Length: 22.4", Leg, Sections: 3, Weight: 2.95 lb, 3-Way Pan Tilt/Head with QR Plate, Mid-Level Spreader, Geared Center Column, Carrying Case		
4	2	pcs	SD Card Capacity: 64 GB, Performance1: 100MB/s Read, UHS-I Speed Class, U1, V10, Format: exFAT (64 GB-512 GB), Operating temperature: -25 °C~85 °C, Storage temperature: -40 °C~85 °C, Voltage: 3.3 V		
5	10	pcs	UNIVERSAL OUTLET EXTENSION CORD 5-GANG WITH SWITCH 10 meter cord length 2500W 10A 250V		
6	1	pc	Card Reader USB3.0 support reading 4 cards at the same time, Installation : External, Card Slots : Multi in 1, Type : TF Card/SD Card/CF Card/MS Card,Product interface: USB3.0, Theoretical transmission speed: 5Gbps, Supported card types: TF, Secure Digital, CF, MS, support reading 4 cards at the same time), Supported maximum capacity: 2TB, Operating system compatible: for Windows XP / 7/8 +; for Mac OS X 10.5 +, for Linux 2.4.x +		
7	4	unit	Portable Speakers 400w Powered Portble Sound System, Plastic Cabinet, AC220V or DC12V (With built-in Rechargable Batteries), With 3 Wireless Microphone , With 3 Mic Input (1xlr, 1pl55), With FM Radio, Bluetooth, Guitar Input Shared with 2, Mic Input, USB & SD Port, With 5 Band Equalizer and LCD Display, With AUX/ Line In and Line Out, With Remote Control, Handle and Wheels		
8	3	unit	Printer Print, Scan, Copy, Fax with ADF, Compact integrated tank design, High yield ink bottles, Spill-free, error-free refilling, Wi-Fi, Wi-Fi Direct, Borderless printing up to 4R		

9	1	unit	Wireless Microphone Dedicated professional outdoor performance Wide Frequency Response - digital control circuit, Resist disturbing strongly, be standing by noises output to zero, Super silent function, low T.H.D. so the bass is rich, mediant is brightness and alt is clear, No hitting when putting on the switch, so can protect the amplierr and speakers, With a complete working state and hand ahnd-held microphones power level indicating. (The signal lamp shine continuos that to replace the battery), With a wide using range for over 50M in a good surrounding, for 30M in a duplicate one.		
10	2	unit	Wired Microphone 5 or 10 meter cord length frequency response microphone that delivers warm and smooth audio in close-proximity studio and vocal applications.		
11	3	unit	Megaphone 60W rechargeable megaphone, powered by included rechargeable batteries. Message recording function, removable external microphone, siren, MP3 control, USB input, SD BLUETOOTH and AUX input.		
12	1	pc	First Aid Trauma Bag Elastic Adhesive Plaster Roll 25mm, Antiseptic Solution 50ml, Burns Dressing 10cm x 10cm, Alcohol Swabs (Singles), Conforming Bandage 75mm, Conforming Bandage 100mm, Saline 200ml, Multi Trauma Dressing, IV Cannula, 5ml Syringe, CPR Mouth Piece, Metal Tweezer, Gauze Swabs 100mm x 100mm Sterile (5's), Examination Gloves (Pairs), First Aid Dressing No. 3, First Aid Dressing No. 5, First Aid Dressing No. 2, Plaster Strips, Safety Pins - 12/Set, Rescue Scissors 19cm, Burns Gel 100ml, Triangular Bandages N/W, Burns Dressing 20cm x 20cm, Burns Dressing 60cm x 40cm, Guedel Airways Assorted, Eye Pad, Trauma Pad 10cm x 10cm, Trauma Pad 10cm x 20cm, 10cml Syringe, 21 Hypodermic Needles, IV Admin Set 20dr/ml, IV Admin Set 60dr/ml, Plastic Tape 25mm, Island Dressing 6 x 8cm, Island Dressing 10 x 15cm, Cohesive Bandage 75mm,Triangular Bandage Calico. With bag.		
13	4	pcs	Modular Evacuation Tent 6-8 PERSONS CAPACITY, ROLLED SIDE DOOR, COVER WITH NET DOUBLED LAYER, MOSQUITO, TOP NET COVER (Zipper Type), DIMENSION: OPEN: 250X250XH180CM, SPRING STEEL WIRE 2.5x7MM, ROLLED SIDE DOOR, INSIDE POCKET 20CMX20CM MATERIALS: OXFORD 210D POLYESTER SILVER COATED WALL AND FLOOR, LIGHTWEIGHT AND COMPACT FOR STORAGE, LABEL POCKET HOLDER 105X148MM, WITH CARRYING BAG		
14	10	pcs	Foldable Retractable Tent 4x4m. Outdoor Tent Waterproof with Stand: Poles and side handles. It can be retracted and attached to the tent.		
15	1	unit	Mixer Amplifier 16 Channel Audio Mixer with 400 x 400 Watt Internal Amplifier and 24-Bit Effects Processor QR Code		
16	3	cart	DDM TONER		
17	10	pcs	Double A rechargeable battery Minimum Capacity: 2000mAh Voltage: 1,2V		
18	1	unit	Double A battery charger		
19			***** Nothing Follows *****		

jhozlezrdeth7

Delivery Period
Warranty
Price Validity

Printed Name/Signature

Tel.No./Cellphone No./e-mail address

Date