# **PHILIPPINE BIDDING DOCUMENTS**

(Sixth Edition)



# Procurement of GOODS/SERVICES

P.R. No. MC24-01-038 – Supply, Delivery, and Installation of Laboratory Equipment for BSCE

# Bataan Peninsula State University 2024 Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract.

For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

### **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	
6.	Origin of Goods	13
7.	Subcontracts	
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	
12.	Bid Prices	15
13.	Bid and Payment Currencies	15
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference Error! Bookmark not defined.	
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	
21.	Signing of the Contract	
	on III. Bid Data Sheet	
Sectio	on IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	
4.	Inspection and Tests	22
5.	Warranty	23
6.	Liability of the Supplier	23
Sectio	on V. Special Conditions of Contract	24
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

### Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

**EXW** – Ex works.

FCA – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB – Government** Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

## Section I. Invitation to Bid

### Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

**BATAAN PENINSULA STATE UNIVERSITY** 

City of Balanga 2100 Bataan PHILIPPINES

### **INVITATION TO BID for**

#### P.R. No. MC24-01-038 – Supply, Delivery, and Installation of Laboratory Equipment for BSCE

- The Bataan Peninsula State University, through the Custodial Fund CHED intends to apply the sum of Four Million Nine Hundred Ninety-nine Thousand Eight Hundred Pesos Only (Php4,999,8000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for Supply, Delivery, and Installation of Laboratory Equipment for BSCE. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Bataan Peninsula State University* now invites bids for the above Procurement Project. *Completion of the project is required by Two Hundred Ten (210) Calendar Days upon the commencement date indicated in the Notice to Proceed (NTP).* Bidders should have completed, within *the last three (3) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Bataan Peninsula State University* and inspect the Bidding Documents at the address given below during 8:00AM to 5:00PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on February 28, 2024 from the given address and website(s) below upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos Only (Php5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees either in person or electronic means.

- 6. The *Bataan Peninsula State University* will hold a Pre-Bid Conference on March 7, 2024 9:00AM at the Board Room, 2<sup>nd</sup> Floor of Admin. Bldg., BPSU Main, Capitol Compound, City of Balanga, Bataan which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission (in person or via courier) at the office address indicated below on or before March 19, 2024 at 9:00AM. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on March 19, 2024 at 10:00AM at the Board Room, 2<sup>nd</sup> Floor of Admin. Bldg., BPSU Main, Capitol Compound, City of Balanga, Bataan. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. *a.* Payment of the applicable fee for the Bidding Documents can be deposited to:

Account Name: BPSU Account No.: 00000048-515-3 Bank/Branch: DBP – Balanga

Before payment can be made, a letter of intent should be submitted to <u>bac@bpsu.edu.ph</u> and a confirmation letter will be issued to the prospective bidder's email address. For verification, a copy of the validated deposit slip should be forwarded to <u>bac@bpsu.edu.ph</u>. Payment via bank transaction is due until 4:00PM on March 18, 2024, or the working day before the scheduled opening of bids, while personal payment is accepted until 8:30AM on March 19, 2024, prior to bid submission and opening.

- b. Each Bidder must provide one (1) copy of the first and second components of its bid (*labeled as Original Bid*). Furthermore, the Procuring Entity requires additional three (3) hard copies of the Original Bid (*labeled as Copy 1, Copy 2, and Copy 3*).
- 11. The *Bataan Peninsula State University* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

BAC Secretariat Bataan Peninsula State University - Main Campus, Capitol Compound, City of Balanga, Bataan 2100 Email Address: <u>bac@bpsu.edu.ph</u> Website: <u>www.bpsu.edu.ph</u> 13. You may visit the following websites:

For downloading of Bidding Documents: <u>www.bpsu.edu.ph</u> or <u>www.philgeps.gov.ph</u>

Date of Issue: February 28, 2024

REV. FR. EDGARDO S. SIGUA BAC Chairperson

### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, *Bataan Peninsula State University* wishes to receive Bids for the **Supply, Delivery, and Installation of Laboratory Equipment for BSCE** with an identification number MC24-01-038.

The Procurement Project (referred to herein as "Project") is composed only of 1 lot, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- **2.1.** The GOP through the source of funding as indicated below for 2024 in the amount of Four Million Nine Hundred Ninety-nine Thousand Eight Hundred Pesos Only (Php4,999,8000.00).
- 2.2. The source of funding is:
  - a. Custodial Fund CHED

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC
- 10.3. as indicated in **ITB** Clause 5.3 should have been completed within the *last three years* prior to the deadline for the submission and receipt of bids.
- 10.4. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until <u>one hundred twenty (120) calendar</u> <u>days</u>. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

#### <u>Option 2 – One Project having several items grouped into several lots,</u> which shall be awarded as separate contracts per lot.

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

### Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB	
Clause	
5.3	<ul><li>For this purpose, contracts similar to the Project shall be:</li><li>a. Supply, Delivery, and Installation of any highly technical equipment.</li><li>b. Completed within the last three years from the deadline of the submission and receipt of bids.</li></ul>
7.1	No subcontracting is allowed.
12	The price of the Goods shall be quoted DDP <i>at City of Balanga, Bataan</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<ul> <li>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</li> <li>a. The amount of not less than Php99,996.00 (two percent (2%) of Total ABC) if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than Php249,990.00 (five percent (5%) of Total ABC) if bid security is in Surety Bond.</li> </ul>
19.3	Partial bid is allowed (Per Lot Basis)
20.2	No additional requirement.
21.2	No additional requirement.

# Section IV. General Conditions of Contract

### Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

<u>Within ten (10) calendar days</u> from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## Section V. Special Conditions of Contract

### Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

# Special Conditions of Contract

GCC	Special Conditions of Contract
Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered to BPSU Main Campus, Capitol Compound, City of Balanga, Bataan. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered to BPSU Main Campus, Capitol Compound, City of Balanga, Bataan. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Jonathan C. Muñoz – End-user Unit and/or Mr. Nelson N. De Dios – University Supply Officer.
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i>
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	<ul><li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li><li>c. furnishing of a detailed operations and maintenance manual for each</li></ul>
	<ul> <li>appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided</li> </ul>
	<ul><li>that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li><li>e. training of the Procuring Entity's personnel, at the Supplier's plant</li></ul>
	<ul> <li>and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts –
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
b. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <i>one</i> (1) <i>year</i> .
Spare parts or components shall be supplied as promptly as possible, but in any case, within <i>two</i> (2) <i>months</i> of placing the order.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions

	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be as follows: Partial payment is allowed for goods or items delivered and inspected.
4	The inspections and tests that will be conducted are: Checking based on the required specifications.

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Total	Delivered, Weeks/ Months
1	STRUCTURAL PLATFORM			210 CD
-	Key Features			
	• Supports any of the Structures experiment modules,			
	providing platform			
	• Rigid design with adjustable feet and a low centre of gravity			
	for			
	stability and accurate results			
	• Includes measuring scales for easy and accurate positioning of			
	parts, changing experiments is as quick and simple as possible			
	Includes a USB interface hub (with data acquisition     Onboard			
	software) for connection to a suitable computer for display			
	and data acquisition			
	Comes with simulation, display and data acquisition			
	software			
	Laptop			
	Processor: Core i5			
	Ram: 8 Gb			
	Storage: 512Gb SSD			
	Screen: 15 inches OS: windows 11			
	Bending Moments in Beams			
	Features			
	<ul> <li>Fits to the Structures</li> <li>Unique beam 'cut' and load cell system for an accurate</li> </ul>			
	measurement of bending moment			
	<ul> <li>Includes multiple loads for many combinations of loads including uniformly distributed loads (UDLs)</li> </ul>			
	• Supplied with a storage tray			
	• Works with software			
	• Direct reading of bending moment at the 'cut' for quick and simple experiments			
	Learning outcomes			
	Bending moment at the cut due to a varying single point load			
	• Bending moment at the cut due to a moving single point			
	load <ul> <li>Bending moment at the cut due to a uniformly distributed</li> </ul>			
	load			

	_		
Influence lines and superposition			
Items Included:			
• Two supports, holding a beam of 0.8 m length and 0.5 m			
span			
• Bending moment load cell built into the centre span of the			
beam			
• Cable			
• Four mass hangers			
<ul> <li>50 x 20 g masses</li> <li>Two UDL bars</li> </ul>			
Iwo UDL bars     Storage tray			
Comprehensive user guide			
comprenensive user guide			
Shear Force in Beams			
Learning outcomes			
• Shear force at the cut due to a varying single point load			
• Shear force at the cut due to a moving single point load			
• Shear force at the cut due to a uniformly distributed load			
Influence lines and superposition			
Items Included:			
• Two supports, holding a beam of 0.8 m length and			
0.5 m span			
• Shear force load cell built into the centre span of the beam.			
• Cable			
Four mass hangers			
• 50 x 20 g masses			
• Two UDL bars			
• Storage tray			
Comprehensive user guide			
Deflection of beam and cantilevers			
Key Features			
Selectable beam fixing conditions, with fully adjustable			
load and			
deflection measuring positions for increased experiment			
range			
• Includes beams of different material and cross-section for			
comparison of elastic (Young's) modulus and Second			
Moment of Area ('I' value)			
High-resolution digital deflection indicator for maximum			
measurement accuracy			
Includes Vernier caliper for cross-section measurement			
• Supplied with a storage tray to keep smaller items safe			
Works with software data acquisition			
Learning outcomes			
• Beam bending formula and structural 'stiffness'			
Deflection due to point loads and UDLs (uniformly distributed			
distributed			
loads) • How beam fixings affect deflection of:			
<ul> <li>Simply supported beams</li> </ul>			
Fixed or 'encastre' beams			
Cantilever beams			
Propped cantilever			
**		I	l

Shape of a deflected beam			
Beam length and deflection			
• Beam material and deflection — the elastic (Youn	ng's)		
modulus			
• Beam cross-section and deflection — the Second I	Moment		
of			
Area ('I' value)			
• Pure bending of a beam			
• Reciprocal theorem (Maxwell-Betti)			
Items Included:			
Two beam supports with two fixing methods			
• Support with digital deflection indicator of resolut	tion 0.01		
mm			
• Five different beams of length 850 mm and nomin	nal cross		
sections:			
• Aluminium: 19 x 3.2 mm, 19 x 4.8 mm and 25.4 x	x 3.2 mm		
• Brass: 25.4 mm x 3.2 mm			
• Mild steel: 25.4 mm x 3.2 mm			
• Cable			
Nine mass hangers			
• 50 x 20 g masses			
Hexagon tools for beam fixings			
Vernier caliper			
Storage tray			
Comprehensive user guide			
• Comprehensive user guide			
Bending Stress in a Beam			
Key Features			
• One of a range of experiment modules that teach s principles	structures		
• Fits to the Structures platform for ergonomic use a	and space-		
saving storage	and space		
• Strain gauge amplifier and multiple strain gauges t	for a		
complete	101 a		
measurement of strain at different positions arour	nd the		
beam	nd the		
section			
• T-section beam for stability, with an off set neutra	lavia		
•	ai axis		
• Includes Vernier caliper for beam cross-section			
measurement	C.		
• Supplied with a storage tray to keep smaller items	s safe		
• Works with software data acquisition			
Learning outcomes			
Stress and strain relationship			
Strain gauges as instruments			
• Finding the neutral axis by experiment and calcula	ation		
• How the beam cross-section dimensions affect the			
moment of area (I value) and neutral axis			
Software			
data acquisition applications			
(data acquisition Onboard) for each experiment mod	dule, with		
additional simulated experiments			
The simulated experiments allow students to simula	ate the		
I to a to a contract of the second seco			
hands-on laboratory experiments, verifying their results.			

They also allow simulation of alternative set-ups, such as		
beams of		
different cross-sectional shape and material properties.		
Items Included:		
Two beam supports		
• T-section beam with nine strain gauges. 0.85 m length and		
0.7 m		
span		
Strain gauge amplifier, 16 input		
Load cell of maximum capacity 650 N		
Nine 1 m strain gauge cables		
Two cables		
Hexagon tools for beam fixings		
Vernier caliper		
• Inclinometer		
Storage tray		
Comprehensive user guide		
Includes:		
Electronic Laboratory (1 (ONE) year subscription) should		
provide		
actual demo during post qualifications		
Key features		
Provides automatic calculation, recording, charting and data		
export remotely		
• An unlimited number of students can simultaneously		
acquire		
and process live experimental data remotely from their		
computer		
• can individually manipulate the experiment data remotely		
clear, customisable display and layout		
• To monitor, the connection status of students are time		
logged		
• Input data manually or automatically		
• Data record set by time or intervals		
• Display of real-time data, in digital form or as an analogue		
meter		
Real-time traces of data		
Record data for printing and later analysis		
• Exporting data to be compatible to other software		
Recording real-time calculated data		
prints charts and data tables		
***Nothing Follows***		
 - I		

# Section VII. Technical Specifications

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable. Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

### **Technical Specifications**

Item	Specification	Statement of Compliance
1	STRUCTURAL PLATFORM	
	Key Features	
	• Supports any of the Structures experiment modules, providing	
	platform	
	• Rigid design with adjustable feet and a low centre of gravity for	
	stability and accurate results	
	• Includes measuring scales for easy and accurate positioning of	
	parts, changing experiments is as quick and simple as possible	
	• Includes a USB interface hub (with data acquisition Onboard	
	software) for connection to a suitable computer for display and	
	data acquisition	
	• Comes with simulation, display and data acquisition software	
	Laptop	
	Processor: Core i5	
	Ram: 8 Gb	
	Storage: 512Gb SSD	
	Screen: 15 inches	
	OS: windows 11	
	Bending Moments in Beams	
	Features	
	• Fits to the Structures	
	• Unique beam 'cut' and load cell system for an accurate	

measurement of bending moment
• Includes multiple loads for many combinations of loads
including uniformly distributed loads (UDLs)
• Supplied with a storage tray
Works with software
• Direct reading of bending moment at the 'cut' for quick and
simple experiments
Learning outcomes
• Bending moment at the cut due to a varying single point load
• Bending moment at the cut due to a moving single point load
• Bending moment at the cut due to a uniformly distributed load
• Influence lines and superposition
Items Included:
• Two supports, holding a beam of 0.8 m length and 0.5 m span
• Bending moment load cell built into the centre span of the beam
• Cable
• Four mass hangers
• 50 x 20 g masses
• Two UDL bars
• Storage tray
Comprehensive user guide
Shear Force in Beams
Learning outcomes
• Shear force at the cut due to a varying single point load
• Shear force at the cut due to a moving single point load

• Shear force at the cut due to a uniformly distributed load	
Influence lines and superposition	
Items Included:	
• Two supports, holding a beam of 0.8 m length and	
0.5 m span	
• Shear force load cell built into the centre span of the beam.	
• Cable	
• Four mass hangers	
• 50 x 20 g masses	
• Two UDL bars	
• Storage tray	
Comprehensive user guide	
Deflection of beam and cantilevers	
Key Features	
• Selectable beam fixing conditions, with fully adjustable load and	
deflection measuring positions for increased experiment range	
• Includes beams of different material and cross-section for	
comparison of elastic (Young's) modulus and Second Moment of	
Area ('I' value)	
High-resolution digital deflection indicator for maximum	
measurement accuracy	
Includes Vernier caliper for cross-section measurement	
• Supplied with a storage tray to keep smaller items safe	
Works with software data acquisition	

I	Learning outcomes	
•	Beam bending formula and structural 'stiffness'	
	Deflection due to point loads and UDLs (uniformly distributed	
	loads)	
•	How beam fixings affect deflection of:	
•	Simply supported beams	
•	Fixed or 'encastre' beams	
•	Cantilever beams	
•	Propped cantilever	
•	Shape of a deflected beam	
•	Beam length and deflection	
	Beam material and deflection — the elastic (Young's) nodulus	
•	Beam cross-section and deflection — the Second Moment of	
	Area ('I' value)	
•	Pure bending of a beam	
•	Reciprocal theorem (Maxwell-Betti)	
I	Items Included:	
•	Two beam supports with two fixing methods	
	Support with digital deflection indicator of resolution 0.01 nm	
	• Five different beams of length 850 mm and nominal cross sections:	
•	Aluminium: 19 x 3.2 mm, 19 x 4.8 mm and 25.4 x 3.2 mm	
•	P Brass: 25.4 mm x 3.2 mm	
•	Mild steel: 25.4 mm x 3.2 mm	
•	Cable	
•	Nine mass hangers	
	50 x 20 g masses	

<ul> <li>Vernier caliper</li> <li>Vernier caliper</li> <li>Slorage tray</li> <li>Comprehensive user guide</li> <li>Bending Stress in a Beam</li> <li>Key Features</li> <li>One of a range of experiment modules that teach structures principles</li> <li>Fits to the Structures platform for ergonomic use and space- saving storage</li> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Examing outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> <li>data acquisition applications</li> </ul>	Hexagon tools for beam fixings	
<ul> <li>Storage tray</li> <li>Comprehensive user guide</li> <li>Bending Stress in a Beam</li> <li>Key Features</li> <li>One of a range of experiment modules that teach structures principles</li> <li>Fits to the Structures platform for ergonomic use and space-saving storage</li> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Iterring outcomes</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (1 value) and neutral axis</li> <li>Software</li> </ul>		
<ul> <li>Comprehensive user guide</li> <li>Bending Stress in a Beam.</li> <li>Key Features <ul> <li>One of a range of experiment modules that teach structures principles</li> <li>Fits to the Structures platform for ergonomic use and space-saving storage</li> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Sapplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> </ul> </li> <li>Learning outcomes <ul> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Hold the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul> </li> </ul>	• Vernier caliper	
Bending Stress in a Beam         Key Features         • One of a range of experiment modules that teach structures principles         • Fits to the Structures platform for ergonomic use and space-saving storage         • Strain gauge amplifier and multiple strain gauges for a complete         measurement of strain at different positions around the beam section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Strain gauge as instruments         • Finding the neutral axis by experiment and calculation         • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	• Storage tray	
Key Features         • One of a range of experiment modules that teach structures         principles         • Fits to the Structures platform for ergonomic use and space-         saving storage         • Strain gauge amplifier and multiple strain gauges for a         measurement of strain at different positions around the beam         section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Strain gauges as instruments         • Finding the neutral axis by experiment and calculation         • How the beam eross-section dimensions affect the second moment of area (I value) and neutral axis	Comprehensive user guide	
Key Features         • One of a range of experiment modules that teach structures         principles         • Fits to the Structures platform for ergonomic use and space-         saving storage         • Strain gauge amplifier and multiple strain gauges for a         measurement of strain at different positions around the beam         section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Strain gauges as instruments         • Finding the neutral axis by experiment and calculation         • How the beam eross-section dimensions affect the second moment of area (I value) and neutral axis		
Key Features         • One of a range of experiment modules that teach structures         principles         • Fits to the Structures platform for ergonomic use and space-         saving storage         • Strain gauge amplifier and multiple strain gauges for a         measurement of strain at different positions around the beam         section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Strain gauges as instruments         • Finding the neutral axis by experiment and calculation         • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	Banding Strass in a Beam	
<ul> <li>One of a range of experiment modules that teach structures</li> <li>principles</li> <li>Fits to the Structures platform for ergonomic use and space- saving storage</li> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>		
principles         • Fits to the Structures platform for ergonomic use and space-saving storage         • Strain gauge amplifier and multiple strain gauges for a complete         measurement of strain at different positions around the beam section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Strain gauges as instruments         • Finding the neutral axis by experiment and calculation         • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	Key Features	
<ul> <li>Fits to the Structures platform for ergonomic use and space- saving storage</li> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>	• One of a range of experiment modules that teach structures	
saving storage         • Strain gauge amplifier and multiple strain gauges for a complete         measurement of strain at different positions around the beam section         • T-section beam for stability, with an off set neutral axis         • Includes Vernier caliper for beam cross-section measurement         • Supplied with a storage tray to keep smaller items safe         • Works with software data acquisition         Learning outcomes         • Stress and strain relationship         • String gauges as instruments         • Finding the neutral axis by experiment and calculation         • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	principles	
<ul> <li>Strain gauge amplifier and multiple strain gauges for a complete</li> <li>measurement of strain at different positions around the beam section</li> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>	• Fits to the Structures platform for ergonomic use and space-	
complete measurement of strain at different positions around the beam section • T-section beam for stability, with an off set neutral axis • Includes Vernier caliper for beam cross-section measurement • Supplied with a storage tray to keep smaller items safe • Works with software data acquisition Learning outcomes • Stress and strain relationship • Strain gauges as instruments • Finding the neutral axis by experiment and calculation • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	saving storage	
complete measurement of strain at different positions around the beam section • T-section beam for stability, with an off set neutral axis • Includes Vernier caliper for beam cross-section measurement • Supplied with a storage tray to keep smaller items safe • Works with software data acquisition Learning outcomes • Stress and strain relationship • Strain gauges as instruments • Finding the neutral axis by experiment and calculation • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis	• Strain gauge amplifier and multiple strain gauges for a	
section• T-section beam for stability, with an off set neutral axis• Includes Vernier caliper for beam cross-section measurement• Supplied with a storage tray to keep smaller items safe• Works with software data acquisitionLearning outcomes• Stress and strain relationship• Strain gauges as instruments• Finding the neutral axis by experiment and calculation• How the beam cross-section dimensions affect the second moment of area (I value) and neutral axisSoftware		
<ul> <li>T-section beam for stability, with an off set neutral axis</li> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>	measurement of strain at different positions around the beam	
<ul> <li>Includes Vernier caliper for beam cross-section measurement</li> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>	section	
<ul> <li>Supplied with a storage tray to keep smaller items safe</li> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>	• T-section beam for stability, with an off set neutral axis	
<ul> <li>Works with software data acquisition</li> <li>Learning outcomes</li> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>	• Includes Vernier caliper for beam cross-section measurement	
Learning outcomes • Stress and strain relationship • Strain gauges as instruments • Finding the neutral axis by experiment and calculation • How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis Software	• Supplied with a storage tray to keep smaller items safe	
<ul> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>	• Works with software data acquisition	
<ul> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>		
<ul> <li>Stress and strain relationship</li> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> </ul>	Learning outcomes	
<ul> <li>Strain gauges as instruments</li> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>	-	
<ul> <li>Finding the neutral axis by experiment and calculation</li> <li>How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis</li> <li>Software</li> </ul>		
How the beam cross-section dimensions affect the second moment of area (I value) and neutral axis Software		
moment of area (I value) and neutral axis Software	• Finding the neutral axis by experiment and calculation	
Software	• How the beam cross-section dimensions affect the second	
	moment of area (I value) and neutral axis	
	Software	
data acquisition applications		
	data acquisition applications	

(data acquisition Onboard) for each experiment module, with
additional simulated experiments
The simulated experiments allow students to simulate the hands-on
laboratory experiments, verifying their results.
They also allow simulation of alternative set-ups, such as beams of
different cross-sectional shape and material properties.
Items Included:
• Two beam supports
• T-section beam with nine strain gauges. 0.85 m length and 0.7 m
span
• Strain gauge amplifier, 16 input
• Load cell of maximum capacity 650 N
• Nine 1 m strain gauge cables
• Two cables
• Hexagon tools for beam fixings
• Vernier caliper
• Inclinometer
• Storage tray
• Comprehensive user guide
Includes:
Electronic Laboratory (1 (ONE) year subscription) should provide
actual demo during post qualifications
Key features
• Provides automatic calculation, recording, charting and data
export remotely
• An unlimited number of students can simultaneously acquire
and process live experimental data remotely from their

computer	
• can individually manipulate the experiment data remotely	
• clear, customisable display and layout	
• To monitor, the connection status of students are time logged	
• Input data manually or automatically	
• Data record set by time or intervals	
• Display of real-time data, in digital form or as an analogue meter	
• Real-time traces of data	
Record data for printing and later analysis	
• Exporting data to be compatible to other software	
Recording real-time calculated data	
• prints charts and data tables	

# Section VIII. Checklist of Technical and Financial Documents

### Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### <u>Legal Documents</u>

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

<u>and</u>

- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
   and
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
   or

Original copy of Notarized Bid Securing Declaration; and

- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and the brand/samples or brochures of the items offered;
- (j) Original duly signed Omnibus Sworn Statement (OSS);
   and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

(k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and

 (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

(m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- ] (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

#### 25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form, BPSU Official Bidding Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

## **Updated Forms**

#### Bid Form for the Procurement of Goods [shall be submitted with the Bid]

#### **BID FORM**

Date : \_\_\_\_\_ Project Identification No. :

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

#### [Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

#### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Format shall be based on the latest Rules on Notarial Practice]

#### Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree; [If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree; [If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and

8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

a. Carefully examining all of the Bidding Documents;

b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;

c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and

d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].

9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_\_, Philippines.

#### [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## **Price Schedule for Goods Offered from Within the Philippines** [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

Nam	ne of Bidde	r			Proj	ect ID No.		_ Page _	of
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)

#### For Goods Offered from Within the Philippines

Name: \_\_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature:

Duly authorized to sign the Bid for and behalf of:

### Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

#### For Goods Offered from Abroad

Name of Bidder				_ Project	Page	je of		

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## Statement of all Ongoing Government & Private contracts including contracts awarded but not yet started whether similar or not similar in nature and complexity to the contract to be bid

	This is to contracts:	certify that		has the following outgoing and awarded but not yet started							
tem No.	Contracting party	Name of the Contract	a. Date Awarded b. Date Started c. Target Date of Completion	Contract Duration	Owner's Name & Address (Telephone No.)	Kinds of Goods/Nature of Work	Amount of Contract	% of Actual Outstanding Co	OA, NTP, and ontract shall be ttached to the statement		
	GOVERNMEN	JT									
	PRIVATE										

Submitted by:

Date:

Printed Name and Signature of Authorized Representative

Instructions:

- 1. State all the on-going contracts including those awarded but not yet started (government and private contracts which may me similar or not similar to the project called for bidding) as of:
  - i. The day before the deadline of submission of bids
- 2. If there is no on-going contract including awarded but not yet started as of the aforementioned period,

- state none or equivalent term.
  The amount of the on-going and awarded but not yet started contracts should be consistent with those used in then Net Financial Contracting Capacity (NFCC) computation.
  "Name of Contract". Indicate here the Nature/Scope of the Contract for easier tracking of the
- entries/representations.

### Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

This is to certify that	has the following completed contract/s for
the last three (3) years from the date of the opening of bid:	

Item No.	Contracting party	Name of the Completed Contract	a. Date Awarded b. Date Started	Contract Duration	Owner's Name & Address (Telephone No., if available)	Kinds of Goods/Nature of Work	Amount of Completed Contract	Date Completed	End User's Acceptance or Official Receipt(s) or Sales Invoice shall be attached to the statement	
	GOVERNMENT		l					ł		
	PRIVATE									
	**** Nothing Follows****									

Submitted by:

Date:

Printed Name and Signature of Authorized Representative

Instructions:

- 1. Cut-off date: Up to the day before the deadline of submission of bids.
- 2. In the last column indicate the document attached if End User's Acceptance or Official Receipt(s) or Sales Invoice
- 3. In the "Name of the Completed Contract" indicate here the Nature/Scope of the Contract for the Procuring Entity to determine the relevance of the entry with the Procurement at hand.

